



## **06 System streng-guard**

### PE Spezialrohr-Programm

Preisliste Stand 09/2024

**Streng Swiss AG**


Dielsdorferstrasse 21  
CH-8155 Niederhasli  
T +41 44 852 33 33  
info@streng.swiss  
www.streng.swiss

## Inhaltsverzeichnis

PE100-RC Injektionsrohre in Rollen 500 m.....	.04
HDPE Felsanker-Hüllrohre in Rollen 100 m.....	.05

**PE100-RC Injektionsrohre**

Schwarz




dn mm	Artikel-Nr.	e mm	d1 mm	d2 mm	h mm	Gewicht kg/m	Rolle m	Palette m	Preis CHF/m
13/9	136.131.211 <sup>1</sup>	2.0	950	700.0	290.0	0.067	500		<b>0.60</b>
16/12	136.131.214	2.0	1000	700.0	290.0	0.088	500	4500	<b>0.70</b>
20/16	136.131.222 <sup>1</sup>	2.0	1200	780.0	290.0	0.114	500		<b>0.90</b>
25/21	136.131.232 <sup>1</sup>	2.0	1300	900.0	300.0	0.145	500		<b>1.10</b>

<sup>1</sup>kein Lagerartikel

**HDPE Felsanker-Hüllrohre**

Schwarz



dn mm	Artikel-Nr.	e mm	d1 mm	d2 mm	h mm	Gewicht kg/m	Rolle m	Preis CHF/m
14.8/13.2	138.124.160 <sup>1</sup>	0.8	1100	800.0	240.0	0.035	100	<b>0.25</b>
14.8/13.4	138.124.161 <sup>1</sup>	0.7	1100	800.0	240.0	0.031	100	<b>0.25</b>
15.5/13.6	138.124.164 <sup>1</sup>	1.0	1100	800.0	280.0	0.043	100	<b>0.30</b>
15.5/13.8	138.124.165 <sup>1</sup>	0.8	1100	800.0	280.0	0.039	100	<b>0.30</b>
15.5/14.0	138.124.166 <sup>1</sup>	0.8	1100	800.0	280.0	0.035	100	<b>0.25</b>
16.0/13.0	138.124.216 <sup>1</sup>	1.5	850	700.0	165.0	0.067	100	<b>0.50</b>
17.0/14.0	138.124.218 <sup>1</sup>	1.5	1130	800.0	270.0	0.071	100	<b>0.50</b>
18.5/14.0	138.124.220 <sup>1</sup>	2.0	1100	700.0	280.0	0.109	100	<b>0.50</b>
18.5/16.3	138.124.168 <sup>1</sup>	1.1	1100	740.0	300.0	0.059	100	<b>0.50</b>
18.5/16.5	138.124.169 <sup>1</sup>	1.0	1100	740.0	300.0	0.055	100	<b>0.40</b>
19.0/16.5	138.124.172 <sup>1</sup>	1.2	1180	820.0	300.0	0.069	100	<b>0.50</b>
19.6/17.1	138.124.173 <sup>1</sup>	1.2	1200	820.0	300.0	0.077	100	<b>0.40</b>
25.0/21.0	138.124.232 <sup>1</sup>	2.0	1090	820.0	150.0	0.141	100	<b>0.97</b>

dn mm	Artikel-Nr.	e mm	d1 mm	d2 mm	h mm	Gewicht kg/m	Rolle m	Preis CHF/m
29.0/24.0	138.124.234 <sup>1</sup>	2.5	1160	850.0	180.0	0.203	100	<b>1.35</b>
29.0/25.0	138.124.236 <sup>1</sup>	2.0	1160	850.0	180.0	0.167	100	<b>1.05</b>
30.0/22.0	138.124.180 <sup>1</sup>	4.0	1220	950.0	190.0	0.316	100	<b>2.05</b>
32.0/26.0	138.124.238 <sup>1</sup>	3.0	1250	950.0	198.0	0.267	100	<b>1.40</b>
32.0/28.0	138.124.240 <sup>1</sup>	2.0	1250	950.0	198.0	0.186	100	<b>1.30</b>
40.0/32.6	138.124.190 <sup>1</sup>	2.0	1400	1000.0	260.0	0.412	100	<b>2.65</b>
40.0/36.0	138.124.242 <sup>1</sup>	2.0	1400	1000.0	260.0	0.238	100	<b>1.65</b>
42.0/34.0	138.124.244 <sup>1</sup>	4.0	1380	1000.0	260.0	0.466	100	<b>3.15</b>
45.0/40.0	138.124.246 <sup>1</sup>	2.5	1600	1100.0	240.0	0.331	100	<b>2.20</b>
47.0/39.0	138.124.248 <sup>1</sup>	4.0	1620	1200.0	240.0	0.528	100	<b>3.70</b>
50.0/45.0	138.124.250 <sup>1</sup>	2.5	1700	1300.0	275.0	0.371	100	<b>2.65</b>
52.0/44.0	138.124.252 <sup>1</sup>	4.0	1840	1450.0	270.0	0.591	100	<b>3.95</b>
55.0/48.0	138.124.254 <sup>1</sup>	3.5	1900	1500.0	275.0	0.558	100	<b>4.00</b>
56.0/50.0	138.124.256 <sup>1</sup>	3.0	2030	1640.0	300.0	0.496	100	<b>3.00</b>
60.0/50.0	138.124.260 <sup>1</sup>	2.5	2030	1680.0	300.0	0.845	100	<b>5.20</b>
60.0/52.0	138.124.262 <sup>1</sup>	4.0	2030	1680.0	300.0	0.693	100	<b>4.25</b>
60.0/53.0	138.124.264 <sup>1</sup>	3.5	2030	1680.0	300.0	0.614	100	<b>4.10</b>
60.0/54.0	138.124.265 <sup>1</sup>	3.0	2030	1680.0	300.0	0.535	100	<b>3.60</b>
63.0/55.0	138.124.266 <sup>1</sup>	4.0	2100	1760.0	410.0	0.731	100	<b>5.15</b>
63.0/56.0	138.124.268 <sup>1</sup>	3.5	2100	1760.0	410.0	0.648	100	<b>3.95</b>
63.0/57.0	138.124.270 <sup>1</sup>	3.0	2100	1760.0	410.0	0.564	100	<b>3.75</b>
65.0/57.0	138.124.274 <sup>1</sup>	4.0	2160	1800.0	415.0	0.757	100	<b>5.00</b>
68.0/60.0	138.124.276 <sup>1</sup>	4.0	2200	1800.0	415.0	0.795	100	<b>4.70</b>
72.0/64.0	138.124.280 <sup>1</sup>	4.0	2310	1900.0	425.0	0.847	100	<b>5.15</b>
75.0/67.0	138.124.284 <sup>1</sup>	4.0	2400	1950.0	400.0	0.885	100	<b>5.35</b>
86.0/76.0	138.124.287 <sup>1</sup>	5.0	2500	2000.0	430.0	1.259	100	<b>7.10</b>
86.0/78.0	138.124.288 <sup>1</sup>	4.0	2500	2000.0	430.0	1.029	100	<b>6.20</b>
90.0/80.0	138.124.289 <sup>1</sup>	5.0	2400	1900.0	450.0	1.323	100	<b>7.40</b>
90.0/82.0	138.124.290 <sup>1</sup>	4.0	2400	1900.0	450.0	1.081	100	<b>6.50</b>
100.0/90.0	138.124.292 <sup>1</sup>	5.0	3000	2400.0	500.0	1.485	100	<b>8.95</b>
100.0/92.0	138.124.293 <sup>1</sup>	4.0	3000	2400.0	500.0	1.213	100	<b>7.30</b>

<sup>1</sup>kein Lagerartikel

**Streng Swiss AG**

Dielsdorferstrasse 21  
CH-8155 Niederhasli  
T +41 44 852 33 33  
info@streng.swiss  
www.streng.swiss



